

DRUG HYPERSENSIBILITY AND INNATE IMMUNE RESPONSE

PUBLICATIONS

- * Alfageme F, Cerezo E, Fernández I S, Aguilo R, Vilas-Sueiro A, Roustan G. Introduction of basic dermatologic ultrasound in undergraduate medical education. *Ultrasound Int Open*. 2016;2(4):E136-9. Article. IF: Not Indexed
- * Arruti N, Villarreal O, Bernedo N, Audicana MT, Velasco M, Uriel O, Martínez A, Bellón T. Positive allergy study (Intradermal, Patch, and Lymphocyte Transformation Tests) in a case of isoniazid-induced DRESS. *J Invest Allerg Clin*. 2016;26(2):119-20. Editorial Material. IF: 3.094; Q2
- * Bellón T, Lerma V, González-Valle O, Herrada CG, de Abajo FJ. Vemurafenib-induced toxic epidermal necrolysis: possible cross-reactivity with other sulfonamide compounds. *Brit J Dermatol*. 2016;174(3):621-4. Article. IF: 4.706; D1
- * Bellón T, Ramírez E, Borobia AM, Lerma V, Moreno-Hidalgo MA, Laosa O, Aramburu JA, González-Herrada C, de Abajo FJ. The HLA-B*15:02 allele in a Spanish Romani patient with carbamazepine-induced Stevens-Johnson syndrome. *Pharmacogenomics*. 2016;17(6):541-5. Article. IF: 2.35; Q3
- * Brauer R, Douglas I, Rodríguez LAG, Downey G, Huerta C, de Abajo F, Bate A, Tepie MF, de Groot MCH, Schlienger R, Reynolds R, Smeeth L, Klungel O, Ruigomez A. Risk of acute liver injury associated with use of antibiotics. Comparative cohort and nested case-control studies using two primary care databases in Europe. *Pharmacoepidem Dr S*. 2016;25:29-38. Article. IF: 2.552; Q2
- * Brauer R, Ruigomez A, Downey G, Bate A, Rodríguez LAG, Huerta C, Gil M, de Abajo F, Requena G, Álvarez Y, Slattery J, de Groot M, Souverein P, Hesse U, Rottenkolber M, Schmiedl S, de Vries F, Tepie MF, Schlienger R, Smeeth L, Douglas I, Reynolds R, Klungel O. Prevalence of antibiotic use: a comparison across various European health care data sources. *Pharmacoepidem Dr S*. 2016;25:11-20. Article. IF: 2.552; Q2
- * Caballero T, Maurer M, Longhurst HJ, Aberer W, Bouillet L, Fabien V, (Cabañas R). Triggers and prodromal symptoms of angioedema attacks in patients with hereditary angioedema. *J Invest Allerg Clin*. 2016;26(6):383-6. Article. IF: 3.094; Q2
- * Canabal J, Caballero T, Caminoa M, Fiandor A, Quirce S, Cabañas R. Anaphylactic shock caused by a hidden allergen in blood sausage. *J Invest Allerg Clin*. 2016;26(3):200-1. Editorial Material. IF: 3.094; Q2
- * Carrascosa R, Alfageme F, Roustan G, Suárez MD. Skin ultrasound in Kaposi sarcoma. *Actas Dermosifiliogr*. 2016;107(4):E19-E22. Article. IF: Not Indexed
- * González-Ramos J, Noguera-Morel L, Tong HY, Ramírez E, Ruiz-Bravo E, Bellón T, Cabanas R, Cachafeiro L, Herranz-Pinto P. Two cases of overlap severe cutaneous adverse reactions to benznidazole treatment for asymptomatic Chagas disease in a nonendemic country. *Brit J Dermatol*. 2016;175(3):604-7. Article. IF: 4.706; D1

- * Huerta C, Abbing-Karahagopian V, Requena G, Oliva B, Álvarez Y, Gardarsdottir H, Miret M, Schneider C, Gil M, Souverein PC, de Bruin ML, Slattery J, de Groot MCH, Hesse U, Rottenkolber M, Schmiedl S, Montero D, Bate A, Ruigomez A, García-Rodríguez LA, Johansson S, de Vries F, Schlienger RG, Reynolds RF, Klungel OH, de Abajo FJ. Exposure to benzodiazepines (anxiolytics, hypnotics and related drugs) in seven European electronic healthcare databases: a cross-national descriptive study from the PROTECT-EU Project. *Pharmacoepidem Dr S.* 2016;25:56-65. Article. IF: 2.552; Q2
- * Ingelmo AR, Díaz ID, Moreno RC, Quesada MCM, García-Avilés C, Núñez IG, Tadeo JIM, Ballesteros RM, Ortega-Rodríguez N, Vílchez MAP, Sánchez-Morillas L, Albelda CV, Rodilla EM, Jaén MJT. Clinical practice guidelines for diagnosis and management of hypersensitivity reactions to contrast media. *J Invest Allerg Clin.* 2016;26(3):144-55. Review. IF: 3.094; Q2
- * Macía-Martínez MA, de Abajo FJ, Roberts G, Slattery J, Thakrar B, Wisniewski AFZ. An empirical approach to explore the relationship between measures of disproportionate reporting and relative risks from analytical studies. *Drug Safety.* 2016;39(1):29-43. Article. IF: 3.435; Q1
- * Phillips-Angles E, González-Muñoz M, Domínguez-Ortega J, Cabañas R, Quirce S. Usefulness of basophil activation test in diagnosis of hypersensitivity to etoricoxib. *J Allergy Clin Immunol Pract.* 2016;4(2):350-1. Letter. IF: 5.317; Q1
- * Porrino-Bustamante ML, Alfageme F, Suárez L, de Domingo MAG, Hospital M, Roustan G. High-frequency color doppler sonography of bullous pemphigoid correlation with histologic findings. *J Ultras Med.* 2016;35(8):1821-25. Article. IF: 1.547; Q3
- * Prieto-García A, Marcos C, Caballero T. Classification of angioedema without wheals. *Ann Allerg Asthma Im.* 2016;116(2):177-177. Letter. IF: 3.728; Q2
- * Requena G, Huerta C, Gardarsdottir H, Logie J, González-González R, Abbing-Karahagopian V, Miret M, Schneider C, Souverein PC, Webb D, Afonso A, Boudiaf N, Martín E, Oliva B, Álvarez A, de Groot MCH, Bate A, Johansson S, Schlienger R, Reynolds R, Klungel OH, de Abajo FJ. Hip/femur fractures associated with the use of benzodiazepines (anxiolytics, hypnotics and related drugs): a methodological approach to assess consistencies across databases from the PROTECT-EU project. *Pharmacoepidem Dr S.* 2016;25:66-78. Article. IF: 2.552; Q2
- * Requena G, Logie J, Martín E, Boudiaf N, González RG, Huerta C, Álvarez A, Webb D, Bate A, Rodríguez LAG, Reynolds R, Schlienger R, Gardarsdottir H, de Groot M, Klungel OH, de Abajo F, Douglas JJ. Do case-only designs yield consistent results across design and different databases? A case study of hip fractures and benzodiazepines. *Pharmacoepidem Dr S.* 2016;25:79-87. Article. IF: 2.552; Q2
- * Roldán FA, Fernández IS, Garza FZM, Gullon GR. Update on the use of ultrasound in vascular anomalies. *Actas Dermosifiliogr.* 2016;107(4):284-93. Review. IF: Not Indexed
- * Sánchez-González MJ, Barbarroja-Escudero J, Antolín-Amerigo D, Rodríguez-Rodríguez M, Pericet-Fernández L, Vélez D, Bellón-Heredia T, Álvarez-Mon M. Flare-up reaction in the inoculation drug sites by glatiramer acetate: First case described. *Allergol Int.* 2016;65(4):469-71. Letter. IF: 3.194; Q2
- * Souverein PC, Abbing-Karahagopian V, Martín E, Huerta C, de Abajo F, Leufkens HGM, Candore G, Álvarez Y, Slattery J, Miret M, Requena G, Gil MJ, Groenwold RHH, Reynolds R, Schlienger RG, Logie JW, de Groot MCH, Klungel OH, van Staa TP, Egberts TCG, de Bruin ML, Gardarsdottir H. Understanding inconsistency in the results from observational pharmacoepidemiological studies: the case of antidepressant use and risk of hip/femur fractures. *Pharmacoepidem Dr S.* 2016;25:88-102. Article. IF: 2.552; Q2

- * Urrutia S, Roustan G, Plazas MJ, Armengol S, Paz S, Lizan L. Oral alitretinoin in the treatment of severe refractory chronic hand eczema in the Spanish National Health System: Description and analysis of current clinical practice. *Actas Dermosifiliogr.* 2016;107(2):142-8. Article. IF: Not Indexed
- * Wortsman X, Alfageme F, Roustan G, Arias-Santiago S, Martorell A, Catalano O, di Santolo MS, Zarchi K, Bouer M, González C, Bard R, Mandava A, Crisan M, Crisan D, Gaitini D. Proposal for an assessment training program in dermatologic ultrasound by the DERMUS Group. *J Ultras Med.* 2016;35(11):2305-9. Editorial Material. IF: 1.547; Q3
- * Wortsman X, Alfageme F, Roustan G, Arias-Santiago S, Martorell A, Catalano O, di Santolo MS, Zarchi K, Bouer M, González C, Bard R, Mandava A, Gaitini D. Guidelines for performing dermatologic ultrasound examinations by the DERMUS Group. *J Ultras Med.* 2016;35(3):577-80. Article. IF: 1.547; Q3