

Diagnosis and Treatment of Allergic Diseases

PUBLICATIONS

- * Aygoren-Pursun E, Bygum A, Beusterien K, Hautamaki E, Sisic Z, Boysen HB, Caballero T. Estimation of EuroQol 5-Dimensions health status utility values in hereditary angioedema. *Patient Prefer Adher.* 2016;10:1699-707. Article. IF: 1.798; Q2
- * Belver MT, Michavila A, Bobolea I, Feito M, Bellón T, Quirce S. Severe delayed skin reactions related to drugs in the paediatric age group: A review of the subject by way of three cases (Stevens-Johnson syndrome, toxic epidermal necrolysis and DRESS). *Allergol Immunopath.* 2016;44(1):83-95. Review. IF: 1.439; Q4
- * Caballero ML, Lluch-Bernal M, Vila-Nadal G, Lluncor M, Quirce S. IgE-mediated anaphylaxis induced by macrogol 6000. *J Invest Allerg Clin.* 2016;26(6):398-400. Article. IF: 3.094; Q2
- * Caballero T, Maurer M, Longhurst HJ, Aberer W, Bouillet L, Fabien V. Triggers and prodromal symptoms of angioedema attacks in patients with hereditary angioedema. *J Invest Allerg Clin.* 2016;26(6):383-6. Article. IF: 3.094; Q2
- * Canabal J, Caballero T, Caminoa M, Fiandor A, Quirce S, Cabanas R. Anaphylactic shock caused by a Hidden allergen in blood sausage. *J Invest Allerg Clin.* 2016;26(3):200-1. Editorial Material. IF: 3.094; Q2
- * Carballeda-Sangiao N, Rodríguez-Mahillo AI, Careche M, Navas A, Caballero T, Domínguez-Ortega J, Jurado-Palomo J, González-Muñoz M. Anisakis-like protein is a pepsin- and heat-resistant major allergen of *Anisakis* spp and a valuable tool for *Anisakis* allergy component-resolved diagnosis. *Int Arch Allergy Imm.* 2016;169(2):108-12. Article. IF: 2.72; Q3
- * Contreras-Porta J, Ruiz-Baques A, Hortal EG, Torres FC, Pla MNA, Santisteban AZ, de la Maza ES. Evaluation of an educational programme with workshops for families of children with food allergies. *Allergol Immunopath.* 2016;44(2):113-9. Article. IF: 1.439; Q4
- * Domínguez-Ortega J, Barranco P, Rodríguez-Pérez R, Quirce S. Biomarkers in occupational asthma. *Curr Allergy Asthm R.* 2016;16(9):63. Review. IF: 3.735; Q2
- * Domínguez-Ortega J, Entrala A, Pola-Bibian B, González-Muñoz M, Fiandor A, Quirce S. Delayed allergic reaction to acenocoumarol with a positive lymphocyte transformation test. *J Invest Allerg Clin.* 2016;26(4):273-4. Editorial Material. IF: 3.094; Q2
- * Domínguez-Ortega J, Phillips-Angles E, González-Muñoz M, Heredia R, Fiandor A, Quirce S. Allergy to several local anesthetics from the amide group. *J Allergy Clin Immunol Pract.* 2016;4(4):771-2. Letter. IF: 5.317; Q1
- * Espinosa E, Soriano V, Malveyh J, Berrocal A, de Prado PM, Quindos M, Soria A, Márquez-Rodas I, Palacio I, Cerezuela P, López-Vivanco G, Alonso L, Samaniego E, Ballesteros A, Puertolas T, Díaz-Beveridge R, de la Cruz-Merino L, Castro RL, López RL, Stevinson K, del Barrio P, Tornamira MV, Guillem V, Martín-Algarra S. Treatment patterns of adjuvant interferon-alpha 2b for high-risk melanoma: a retrospective study of the Grupo Español Multidisciplinar de Melanoma - Prima study. *Melanoma Res.* 2016;26(3):278-83. Article. IF: 2.615; Q2
- * García-Boyano M, Pedrosa M, Quirce S, Boyano-Martínez T. Household almond and peanut consumption is related to the development of sensitization in young children. *J Allergy Clin Immun.* 2016;137(4):1248-51. Letter. IF: 13.081; D1

- * García-Guereta L, García-Cerro E, Bret-Zurita M. Multidetector computed tomography for congenital anomalies of the aortic arch: vascular rings. *Rev Esp Cardiol.* 2016;69(7):681-93. Article. IF: 4.485; Q2
- * González-Quevedo T, Larco JI, Marcos C, Guilarte M, Baeza ML, Cimbollek S, López-Serrano MC, Pinero-Saavedra M, Rubio M, Caballero T. Management of pregnancy and delivery in patients with hereditary angioedema due to C1 inhibitor deficiency. *J Invest Allerg Clin.* 2016;26(3):161-7. Article. IF: 3.094; Q2
- * Laínez N, García-Donas J, Esteban E, Puente J, Saez MI, Gallardo E, Pinto-Marín A, Vázquez-Estévez S, León L, García-Carbonero I, Suárez-Rodríguez C, Molins C, Climent-Durán MA, Lázaro-Quintela M, del Alba AG, Méndez-Vidal MJ, Chirivella I, Afonso FJ, López-Brea M, Sala-González N, Domenech M, Basterretxea L, Santander-Lobera C, Gil-Arnaiz I, Fernández O, Caballero-Díaz C, Mellado B, Marrupe D, García-Sánchez J, Sánchez-Escribano R, Parra EF, Guzmán JCV, Martínez-Ortega E, González MB, Morán M, Suárez-Paniagua B, Lecumberri MJ, Castellano D. Impact on clinical practice of the implementation of guidelines for the toxicity management of targeted therapies in kidney cancer. The protect-2 study. *BMC Cancer.* 2016;16:135. Article. IF: 3.288; Q2
- * Longhurst HJ, Aberer W, Bouillet L, Caballero T, Maurer M, Fabien V, Zanichelli A. The icatibant outcome survey: treatment of laryngeal angioedema attacks. *Eur J Emerg Med.* 2016;23(3):224-7. Article. IF: 2.025; Q2
- * Martín-Muñoz MF, Pineda F, Parrado GG, Guillén D, Rivero D, Belver T, Quirce S. Food allergy in breastfeeding babies. Hidden allergens in human milk. *Eur Ann Allergy Clin Immunol.* 2016;48(4):123-8. Article. IF: Not Indexed
- * Martín-Muñoz MF, Rivero D, Perales AD, Polanco I, Quirce S. Wheat allergy in celiac children. *Pediatr Allerg Immun-Uk.* 2016;27(1):102-5. Letter. IF: 3.775; D1
- * Moral VP, Rodríguez CA, Gómez-Outes A, Ruiz FG, Vina AL, Belinchón FJP, Zamora JP, Jiménez JAQ, Gancedo SQ, Ortega JS, Vilarrasa RS, Asens JRV. Obsolete anti-pneumococcal vaccination recommendations in the spanish guidelines for the management of asthma (GEMA 4.0): The authors reply. *Arch Bronconeumol.* 2016;52(8):449. Letter. IF: 2.979; Q2
- * Moscato G, Pala G, Folletti I, Siracusa A, Quirce S. Occupational rhinitis affects occupational asthma severity. *J Occup Health.* 2016;58(3):310-3. Article. IF: 1.848; Q2
- * Palao-Ocharan P, Domínguez-Ortega J, Barranco P, Díaz-Almiron M, Quirce S. Does the profile of sensitization to grass pollen allergens have clinical relevance? *J Invest Allerg Clin.* 2016;26(3):188-9. Editorial Material. IF: 3.094; Q2
- * Pedrosa M, Phillips-Angles E, López-Lera A, López-Trascasa M, Caballero T. Complement study versus C1NH gene testing for the diagnosis of type I hereditary angioedema in children. *J Clin Immunol.* 2016;36(1):16-8. Letter. IF: 3.253; Q2
- * Phillips-Angles E, González-Muñoz M, Domínguez-Ortega J, Cabañas R, Quirce S. Usefulness of basophil activation test in diagnosis of hypersensitivity to etoricoxib. *J Allergy Clin Immunol Pract.* 2016;4(2):350-1. Letter. IF: 5.317; Q1
- * Plaza Moral V, Alonso Mostaza S, Álvarez Rodríguez C, Gómez-Outes A, Gómez Ruiz F, López Vina A, Molina París J, Pellegrini Belinchón FJ, Plaza Zamora J, Quintano Jiménez JA, Quirce Gancedo S, Sanz Ortega J, Soler Vilarrasa R, Villa Asensi JR. Spanish guideline on the management of asthma. *J Invest Allerg Clin.* 2016;26 Suppl 1(Suppl 1):1-92. Article. IF: 3.094; Q2

- * Plaza V, del Río PR, Gómez F, Vina AL, Molina J, Quintano JA, Quirce S, Soler R, Villa JR, Nieto A. Identification of gaps in the clinical patient care of asthma in Spain. Results of the OPTIMA-GEMA survey. *An Sist Sanit Navar*. 2016;39(2):181-201. Article. IF: 0.625; Q4
- * Plaza V, Fernández-Rodríguez C, Melero C, Cosio BG, Entrenas LM, de Llano LP, Gutiérrez-Pereyra F, Tarragona E, Palomino R, López-Vina A, (Quirce Gancedo S). Validation of the 'Test of the Adherence to Inhalers' (TAI) for asthma and COPD Patients. *J Aerosol Med Pulm D*. 2016;29(2):142-52. Article. IF: 2.528; Q3
- * Prieto-García A, Marcos C, Caballero T. Classification of angioedema without wheals. *Ann Allerg Asthma Im*. 2016;116(2):177. Letter. IF: 3,728; Q2.NO
- * Prior N, Remor E, Pérez-Fernández E, Caminoa M, Gómez-Traseira C, Gaya F, Aabom A, Aberer W, Betschel S, Boccon-Gibod I, Bouillet L, Bygum A, Csuka D, Farkas H, Gomide M, Grumach A, Leibovich I, Malbran A, Moldovan D, Mihaly E, Obtulowicz K, Perpen C, Peveling-Oberhag A, Porebski G, Chavannes CR, Reshef A, Staubach P, Wiednig M, Caballero T. Psychometric field study of hereditary angioedema quality of life questionnaire for adults: HAE-QoL. *J Allergy Clin Immunol Pract*. 2016;4(3):464-73. Article. IF: 5.317; Q1
- * Quirce S, Boyano-Martínez T, Díaz-Perales A. Clinical presentation, allergens, and management of wheat allergy. *Expert Rev Clin Immun*. 2016;12(5):563-72. Review. IF: 3.27; Q2
- * Quirce S, Fiandor A. How should occupational anaphylaxis be investigated and managed? *Curr Opin Allergy Cl*. 2016;16(2):86-92. Review. IF: 3.463; Q2
- * Quirce S, Vandenplas O, Campo P, Cruz MJ, de Blay F, Koschel D, Moscato G, Pala G, Raulf M, Sastre J, Siracusa A, Tarlo SM, Walusiak-Skorupa J, Cormier Y. Occupational hypersensitivity pneumonitis: an EAACI position paper. *Allergy*. 2016;71(6):765-79. Article. IF: 7.361; D1
- * Raulf M, Buters JTM, Chapman M, Cecchi L, de Blay F, Doekes G, Eduard W, Heederik D, Jeebhay MF, Kespohl S, Krop E, Moscato G, Pala G, Quirce S, Sander I, Schlunssen V, Sigsgaard T, Walusiak-Skorupa J, Wiszniewska M, Wouters IM, Annesi-Maesano I. Monitoring of occupational and environmental aeroallergens - EAACI Position Paper. *Allergologie*. 2016;39(2):45-68. Article. IF: 0.311; Q4
- * Sánchez R, Martínez J, Castro A, Pedrosa M, Quirce S, Rodríguez-Pérez R, Gasset M. The amyloid fold of Gad m 1 epitopes governs IgE binding. *Sci Rep-Uk*. 2016;6:32801. Article. IF: 4.259; Q1
- * Sanchez-García S, Olaguibel JM, Quirce S, Ibáñez MD. Measurement of lung function and bronchial inflammation in children is underused by Spanish allergists. *J Invest Allerg Clin*. 2016;26(2):126-8. Editorial Material. IF: 3.094; Q2
- * Torrijos EG, Gimeno PM, Iglesias AM, Rodríguez RG, Bonilla PG, El Kaddioui S, Díaz YCM, Gancedo SQ. Non-asthmatic eosinophilic bronchitis and idiopathic eosinophilic esophagitis. *J Invest Allerg Clin*. 2016;26(3):190-1. Editorial Material. IF: 3.094; Q2
- * Xepapadaki P, Fiocchi A, Grabenhenrich L, Roberts G, Grimshaw KEC, Fiandor A, Larco JI, Sigurdardottir S, Clausen M, Papadopoulos NG, Dahdah L, Mackie A, Sprickelman AB, Schoemaker AA, Dubakiene R, Butiene I, Kowalski ML, Zeman K, Gavrili S, Keil T, Beyer K. Incidence and natural history of hen's egg allergy in the first 2 years of lifethe EuroPrevall birth cohort study. *Allergy*. 2016;71(3):350-7. Article. IF: 7.361; D1
- * Yucesoy B, Kashon ML, Johnson VJ, Lummus ZL, Fluharty K, Gautrin D, Cartier A, Boulet LP, Sastre J, Quirce S, Tarlo SM, Cruz MJ, Muñoz X, Luster MI, Bernstein DI. Genetic variants in

TNF alpha, TGFB1, PTGS1 and PTGS2 genes are associated with diisocyanate-induced asthma. *J Immunotoxicol.* 2016;13(1):119-26. Article. IF: 2.021; Q3

- * Zanichelli A, Longhurst HJ, Maurer M, Bouillet L, Aberer W, Fabien V, Andresen I, Caballero T. Misdiagnosis trends in patients with hereditary angioedema from the real-world clinical setting. *Ann Allerg Asthma Im.* 2016;117(4):394-8. Article. IF: 3.728; Q2