

NEUROLOGÍA Y ENFERMEDADES CEREBROVASCULARES

PUBLICACIONES

- * Alcalde-Cabero E, Almazán-Isla J, López FJG, Callizo JRA, Avellanal F, Casasnovas C, Cemillán C, Cuadrado JI, Duarte J, Fernández-Pérez MD, Fernández O, Merino JAG, Montero RG, Montero D, Pardo J, Rodríguez-Rivera FJ, Ruiz-Tovar M, de Pedro-Cuesta J. Guillain-Barre syndrome following the 2009 pandemic monovalent and seasonal trivalent influenza vaccination campaigns in Spain from 2009 to 2011: outcomes from active surveillance by a neurologist network, and records from a country-wide hospital discharge database. *BMC Neurol.* 2016;16:75. Article. IF: 2.006; Q3
- * Anguita-Palacios MC, Talayero-San-Miguel M, Herrero-Cereceda S, Martín-Cadenas M, Pardo-Cuevas P, Gil-Martínez A. Fear and preoperative anxiety behaviour and pain intensity perceived after knee arthroscopy. *Enferm Clin.* 2016;26(4):227-33. Article. IF: Not Indexed
- * Arévalo-Manso JJ, Martínez-Sánchez P, Fuentes B, Ruiz-Ares G, Sanz-Cuesta BE, Prefasi D, Juárez-Martín B, Navarro-Parias A, Parrilla-Novo P, Díez-Tejedor E. Can we improve the early detection of atrial fibrillation in a stroke unit? Detection rate of a monitor with integrated detection software. *Eur J Cardiovasc Nur.* 2016;15(1):64-71. Article. IF: 2.763; D1
- * Buendía I, Parada E, Navarro E, León R, Negredo P, Egea J, López MG. Subthreshold concentrations of melatonin and galantamine improves pathological AD-Hallmarks in hippocampal organotypic cultures. *Mol Neurobiol.* 2016;53(5):3338-48. Article. IF: 6.19; D1
- * Cea LA, Puebla C, Cisterna BA, Escamilla R, Vargas AA, Frank M, Martínez-Montero P, Prior C, Molano J, Esteban-Rodríguez I, Pascual I, Gallano P, Lorenzo G, Pian H, Barrio LC, Willecke K, Saez JC. Fast skeletal myofibers of mdx mouse, model of Duchenne muscular dystrophy, express connexin hemichannels that lead to apoptosis. *Cell Mol Life Sci.* 2016;73(13):2583-99. Article. IF: 5.788; Q1
- * de Lecinana MA, Egido JA, Casado I, Ribo M, Dávalos A, Masjuan J, Caniego JL, Martínez-Vila E, Tejedor ED. Reply to letter "Remarks on cerebral infarct from another point of view". *Neurología.* 2016;31(2):136. Letter. IF: 2.103; Q3
- * de Lecinana MA, Fuentes B, Ximénez-Carrillo A, Vivancos J, Masjuan J, Gil-Núñez A, Martínez-Sánchez P, Zapata-Wainberg G, Cruz-Culebras A, García-Pastor A, Díaz-Otero F, Fandino E, Frutos R, Caniego JL, Méndez JC, Fernández-Prieto A, Barcena-Ruiz E, Díez-Tejedor E. A collaborative system for endovascular treatment of acute ischaemic stroke: the Madrid Stroke Network experience. *Eur J Neurol.* 2016;23(2):297-303. Article. IF: 3.988; Q1
- * de Munain LL, Juan-García FJ, Duarte E, Martín-Mourelle R, Rodríguez S, Moraleda-Pérez S. Early pharmacologic treatment with botulinum toxin A in post-stroke spasticity: consensus evidence-based recommendations. *Rev Neurología.* 2016;63(8):363-9. Review. IF: 0.743; Q4
- * de-la-Puente-Ranea L, García-Calvo B, La Touche R, Fernández-Carnero J, Gil-Martínez A. Influence of the actions observed on cervical motion in patients with chronic neck pain: a pilot study. *J Exerc Rehabil.* 2016;12(4):346-54. Article. IF: Not indexed

- * Elizagaray-García I, Muriente-González J, Gil-Martínez A. Education for patients with fibromyalgia. A systematic review of randomised clinical trials. *Rev Neurología*. 2016;62(2):49-60. Article. IF: 0.743; Q4
- * Fernández-Alonso L, Muñoz-García D, La Touche R. The level of physical activity affects the health of older adults despite being active. *J Exerc Rehabil*. 2016;12(3):164-201. Article. IF: Not Indexed
- * Fernández-Montoya J, Buendía I, Martín YB, Egea J, Negredo P, Avendaño C. Sensory input-dependent changes in glutamatergic neuro transmission-related genes and proteins in the adult rat trigeminal ganglion. *Front Mol Neurosci*. 2016;9:132. Article. IF: 5.076; Q1
- * Ferrer-Peña R, Gil-Martínez A, Pardo-Montero J, Jiménez-Penick V, Gallego-Izquierdo T, La Touche R. Adaptation and validation of the Spanish version of the graded chronic pain scale. *Reumatol Clin*. 2016;12(3):130-8. Article. IF: Not Indexed
- * Fiz-Pérez L, Velázquez-Fragua R, García-Guixot S, García-Romero M, Martínez-Bermejo A. Dissection of vertebral arteries as the cause of acute cerebrovascular event in children. *Rev Neurología*. 2016;62(8):382-3. Letter. IF: 0.743; Q4
- * Freitas AE, Egea J, Buendía I, Gómez-Rangel V, Parada E, Navarro E, Casas AI, Wojnicz A, Ortiz JA, Cuadrado A, Ruiz-Nuno A, Rodrigues ALS, López MG. Agmatine, by improving neuroplasticity markers and inducing Nrf2, prevents corticosterone-induced depressive-like behavior in mice. *Mol Neurobiol*. 2016;53(5):3030-45. Article. IF: 6.19; D1
- * Gil-Martínez A, Grande-Alonso M, La Touche R, Lara-Lara M, López-López A, Fernández-Carnero J. Psychosocial and somatosensory factors in women with chronic migraine and painful temporomandibular disorders. *Pain Res Manag*. 2016; 3945673. Article. IF: 2.027; Q3
- * Gil-Martínez A, Grande-Alonso M, López-de-Uralde-Villanueva I, López-López A, Fernández-Carnero J, La Touche R. Chronic temporomandibular disorders: disability, pain intensity and fear of movement. *J Headache Pain*. 2016;17:103. Article. IF: 2.141; Q1
- * González-Suárez I, Arpa J, Ríos-Blanco JJ. Brain microvasculature involvement in ANCA positive vasculitis. *Cerebrovasc Dis*. 2016;41(42891):313-21. Article. IF: 2.974; Q2
- * Illán-Gala I, Martínez-Sánchez P, Fuentes B, Llamas-Osorio Y, de Terán JD, Báez M, Ruiz-Ares G, Sanz-Cuesta BE, Lara-Lara M, Díez-Tejedor E. Effect of anticoagulation on cardioembolic stroke severity, outcomes and response to intravenous thrombolysis. *J Thromb Thrombolys*. 2016;42(1):99-106. Article. IF: 2.142; Q3
- * Itzhaki RF, Lathe R, Balin BJ, Ball MJ, Bearer EL, Braak H, Bullido MJ, Carter C, Clerici M, Cosby SL, del Tredici K, Field H, Fulop T, Grassi C, Griffin WST, Haas J, Hudson AP, Kamer AR, Kell DB, Licastro F, Letenneur L, Lovheim H, Mancuso R, Miklossy J, Otth C, Palamara AT, Perry G, Preston C, Pretorius E, Strandberg T, Tabet N, Taylor-Robinson SD, Whittum-Hudson JA. Microbes and Alzheimer's Disease. *J Alzheimers Dis*. 2016;51(4):979-84. Editorial Material. IF: 3.731; Q2
- * Jun G, Ibrahim-Verbaas CA, Vronskaya M, Lambert JC, Chung J, Naj A, Kunkle BW, Wang LS, Bis JC, Bellenguez C, Harold D, Lunetta KL, Destefano AL, Grenier-Boley B, Sims R, Beecham GW, Smith AV, Chouraki V, Hamilton-Nelson KL, Ikram MA, Fievet N, Denning N, Martin ER, Schmidt H, Kamatani Y, Dunstan ML, Valladares O, Laza AR, Zelenika D, Ramírez A, Foroud TM, Choi SH, Boland A, Becker T, Kukull WA, van der Lee SJ, Pasquier F, Cruchaga C, Beekly D, Fitzpatrick AL, Hanon O, Gill M, Barber R, Gudnason V, Campion D, Love S, Bennett DA, Amin N, Berr C, Tsolaki M, Buxbaum JD, López OL, Deramecourt V, Fox NC, Cantwell LB, Tarraga L, Dufouil C, Hardy J, Crane PK, Eiriksdottir G, Hannequin D, Clarke R, Evans D, Mosley TH, Letenneur L, Brayne C, Maier W, De Jager P, Emilsson V, Dartigues JF, Hampel H, Kamboh MI, de Bruijn RFAG, Tzourio C, Pastor P, Larson EB, Rotter JI, O'Donovan MC, Montine TJ, Nalls MA, Mead S, Reiman EM, Jonsson PV, Holmes C, St George-Hyslop PH, Boada M, Passmore P, Wendland JR, Schmidt R, Morgan K,

Winslow AR, Powell JF, Carasquillo M, Younkin SG, Jakobsdottir J, Kauwe JSK, Wilhelmsen KC, Rujescu D, Nothen MM, Hofman A, Jones L, Haines JL, Psaty BM, Van Broeckhoven C, Holmans P, Launer LJ, Mayeux R, Lathrop M, Goate AM, Escott-Price V, Seshadri S, Pericak-Vance MA, Amouyel P, Williams J, van Duijn CM, Schellenberg GD, Farrer LA, (Bullido MJ). A novel Alzheimer disease locus located near the gene encoding tau protein. *Mol Psychiatry*. 2016;21(1):108-17. Article. IF: 13.204; D1

- * Kawiorski MM, Martínez-Sánchez P, García-Pastor A, Calleja P, Fuentes B, Sanz-Cuesta BE, Lourido D, Marín B, Díaz-Otero F, Vicente A, Sierra-Hidalgo F, Ruiz-Ares G, Díez-Tejedor E, Fandino E, de Lecinana MA. Alberta Stroke Program Early CT Score applied to CT angiography source images is a strong predictor of futile recanalization in acute ischemic stroke. *Neuroradiology*. 2016;58(5):487-93. Article. IF: 2.093; Q2
- * Kawiorski MM, Vicente A, Lourido D, Muriel A, Fandino E, Méndez JC, Sánchez-Gonzalez V, Aguado A, Álvarez-Velasco R, de Lecinana MA. Good clinical and radiological correlation from standard perfusion computed tomography accurately identifies salvageable tissue in ischemic stroke. *J Stroke Cerebrovasc*. 2016;25(5):1062-9. Article. IF: 1.517; Q4
- * León-Hernández JV, Martín-Pintado-Zugasti A, Frutos LG, Alguacil-Diego IM, de la Llave-Rincón AI, Fernández-Carnero J. Immediate and short-term effects of the combination of dry needling and percutaneous TENS on post-needling soreness in patients with chronic myofascial neck pain. *Braz J Phys Ther*. 2016;20(5):422-31. Article. IF: 1.226; Q3
- * López-de-Uralde-Villanueva I, Beltrán-Alacreu H, Fernández-Carnero J, Gil-Martínez A, La Touche R. Differences in neural mechanosensitivity between patients with chronic nonspecific neck pain with and without neuropathic features. A descriptive cross-sectional study. *Pain Med*. 2016;17(1):136-48. Article. IF: 2.82; Q1
- * López-de-Uralde-Villanueva I, Beltrán-Alacreu H, Fernández-Carnero J, Kindelan-Calvo P, La Touche R. Widespread pressure pain hyperalgesia in chronic nonspecific neck pain with neuropathic features: A descriptive cross-sectional study. *Pain Physician*. 2016;19(2):77-87. Article. IF: 2.84; Q2
- * López-de-Uralde-Villanueva I, Muñoz-García D, Gil-Martínez A, Pardo-Montero J, Muñoz-Plata R, Angulo-Díaz-Parreno S, Gómez-Martínez M, La Touche R. A systematic review and meta-analysis on the effectiveness of graded activity and graded exposure for chronic nonspecific low back pain. *Pain Med*. 2016;17(1):172-88. Review. IF: 2.82; Q1
- * Lubrini G, Lago MR, Perriñez JA, Barranco AT, de Dios C, Fernández-Fourier M, Tejedor ED, García AF. The contribution of depressive symptoms to slowness of information processing in relapsing remitting multiple sclerosis. *Mult Scler*. 2016;22(12):1607-15. Article. IF: 4.84; Q1
- * Lupo V, García-García F, Sancho P, Tello C, García-Romero M, Villarreal L, Alberti A, Sivera R, Dopazo J, Pascual-Pascual SI, Márquez-Infante C, Casasnovas C, Sevilla T, Espinos C. Assessment of targeted next-generation sequencing as a tool for the diagnosis of Charcot-Marie-Tooth disease and hereditary motor neuropathy. *J Mol Diagn*. 2016;18(2):225-34. Article. IF: 4.526; Q1
- * Martí-Fabregas J, Prats-Sánchez L, Martínez-Domene A, Camps-Renom P, Marín R, Jiménez-Xarrie E, Fuentes B, Dorado L, Purroy F, Arias-Rivas S, Delgado-Mederos R. The H-ATOMIC criteria for the etiologic classification of patients with intracerebral Hemorrhage. *Plos One*. 2016;11(6):e0156992. Article. IF: 2.806; Q1
- * Martín-Pintado-Zugasti A, Rodríguez-Fernández AL, Fernández-Carnero J. Postneedling soreness after deep dry needling of a latent myofascial trigger point in the upper trapezius muscle: Characteristics, sex differences and associated factors. *J Back Musculoskelet*. 2016;29(2):301-8. Article. IF: 0.912; Q3

- * Masjuan J, Álvarez-Sabín J, Arias-Rivas S, Blanco M, de Felipe A, Escudero-Martínez I, Fuentes B, Gallego-Cullere J, Moniche-Álvarez F, Muñoz L, de la Ossa-Herrero NP, Sahuquillo P, Santamarina E, Sanz B, Tembl JI, Zandio B. Urgent stroke care in hospitals with a stroke unit. Quick Project. *Rev Neurología*. 2016;62(7):303-10. Article. IF: 0.743; Q4
- * Mayor-Ibarguren A, Roldán-Puchalt MC, Sancho-Bueso T, Pérez-López C, Álvarez-Linera J, Frutos R, Álvarez-Escola C, Regajo-Zapata R, Beato-Merino MJ, Herranz-Pinto P, Lecumberri B. Kaposi sarcoma secondary to endogenous adrenocorticotrophic hormone-dependent Cushing syndrome. *Brit J Dermatol*. 2016;174(6):1370-4. Article. IF: 4.706; D1
- * Mínguez-Zuazo A, Grande-Alonso M, Saiz Moral B, La Touche R, Lara Lerma S. Therapeutic patient education and exercise therapy in patients with cervicogenic dizziness: a prospective case series clinical study. *J Exerc Rehabil*. 2016;12(3):216-25. Article. IF: Not Indexed
- * Muñoz-García D, Gil-Martínez A, López-López A, López-de-Uralde-Villanueva I, La Touche R, Fernández-Carnero J. Chronic neck pain and cervico-craniofacial pain patients express similar levels of neck pain-related disability, pain catastrophizing, and cervical range of motion. *Pain Res Treat*. 2016; 7296032. Article. IF: Not Indexed
- * Ntaios G, Vemmos K, Lip GYH, Koroboki E, Manios E, Vemmou A, Rodríguez-Campello A, Cuadrado-Godia E, Giralt-Steinhauer E, Arnao V, Caso V, Paciaroni M, Díez-Tejedor E, Fuentes B, Pérez Lucas J, Arauz A, Ameriso SF, Hawkes MA, Pertierra L, Gómez-Schneider M, Bandini F, Chavarria Cano B, Iglesias Mohedano AM, García Pastor A, Gil-Núñez A, Putaala J, Tatlisumak T, Barboza MA, Athanasakis G, Makaritsis K, Papavasileiou V. Risk stratification for recurrence and mortality in embolic stroke of undetermined source. *Stroke*. 2016;47(9):2278-85. Article. IF: 6.032; D1
- * Pardo-Maza A, Lassaletta L, González-Otero T, Roda JM, Moraleda S, Arbizu A, Gavilán J. Evolution of patients with immediate complete facial paralysis secondary to acoustic neuroma surgery. *Ann Oto Rhinol Laryn*. 2016;125(6):495-500. Article. IF: 1.384; Q2
- * Pascual-Pascual SI, Nascimento A, Fernández-Llamazares CM, Medrano-López C, Villalobos-Pinto E, Martínez-Moreno M, Ley M, Manrique-Rodríguez S, Blasco-Alonso J. Clinical guidelines for infantile-onset Pompe disease. *Rev Neurología*. 2016;63(6):269-79. Article. IF: 0.743; Q4
- * Pastor P, Moreno F, Clarimón J, Ruiz A, Combarros O, Calero M, de Munain AL, Bullido MJ, de Pancorbo MM, Carro E, Antonell A, Coto E, Ortega-Cubero S, Hernández I, Tarraga L, Boada M, Lleo A, Dols-Icardo O, Kulisevsky J, Vázquez-Higuera JL, Infante J, Rabano A, Fernández-Blázquez MA, Valenti M, Indakoetxea B, Barandiaran M, Gorostidi A, Frank-García A, Sastre I, Lorenzo E, Pastor MA, Elcoroaristizabal X, Lennarz M, Maier W, Ramírez A, Serrano-Ríos M, Lee SE, Sánchez-Juan P. MAPT H1 haplotype is associated with late-onset Alzheimer's disease risk in APOE epsilon 4 Noncarriers: Results from the Dementia Genetics Spanish Consortium. *J Alzheimers Dis*. 2016;49(2):343-52. Article. IF: 3.731; Q2
- * Patino P, Parada E, Farre-Alins V, Molz S, Cacabelos R, Marco-Contelles J, López MG, Tasca CI, Ramos E, Romero A, Egea J. Melatonin protects against oxygen and glucose deprivation by decreasing extracellular glutamate and Nox-derived ROS in rat hippocampal slices. *Neurotoxicology*. 2016;57:61-8. Article. IF: 3.1; Q2
- * Pérez-Villena A, Soto-Insuga V, Castano-de la Mota C, Martín-del Valle F, Pons-Rodríguez M, Losada-del Pozo R, Moreno-Acero N, Alarcón-Martínez H, Rodrigo-Moreno M, Miravet-Fuster E, Monfort-Belenguer L, Polo-Antúnez A, Martínez-Bermejo A, Merino-Andreu M. The importance of sleep problems in children with headache and other neurodevelopmental disorders in neuropaediatric services. *Rev Neurología*. 2016;62(2):61-7. Article. IF: 0.743; Q4

- * Pesántez-Ríos G, Martínez-Bermejo A, Pesántez-Cuesta G. Neuropsychological alterations are frequent in rolandic epilepsy and its atypical developments. *Rev Neurología*. 2016;63(3):125-9. Review. IF: 0.743; Q4
- * Prefasi D, Martínez-Sánchez P, Fuentes B, Díez-Tejedor E. Severity and outcomes according to stroke etiology in patients under 50 years of age with ischemic stroke. *J Thromb Thrombolys*. 2016;42(2):272-82. Article. IF: 2.142; Q3
- * Prefasi D, Martínez-Sánchez P, Fuentes B, Díez-Tejedor E. The utility of the RoPE score in cryptogenic stroke patients <= 50 years in predicting a stroke-related patent foramen ovale. *Int J Stroke*. 2016;11(1):NP7-NP8. Letter. IF: 3.314; Q2
- * Pulido-Valdeolivas I, Gómez-Andrés D, Sanz-Gallego I, Rausell E, Arpa J. Patterns of motor signs in spinocerebellar ataxia type 3 at the start of follow-up in a reference unit. *Cerebellum Ataxias*. 2016;3:4. Article. IF: Not Indexed
- * Reetz K, Dogan I, Hilgers RD, Giunti P, Mariotti C, Durr A, Boesch S, Klopstock T, de Rivera FJR, Schols L, Klockgether T, Burk K, Rai M, Pandolfo M, Schulz JB. Progression characteristics of the European Friedreich's Ataxia Consortium for Translational Studies (EFACTS): a 2 year cohort study. *Lancet Neurol*. 2016;15(13):1346-54. Article. IF: 26.284; D1
- * Ríos A, López-Navas AI, López-López AI, Gómez FJ, Iriarte J, Herruzo R, Blanco G, Llorca FJ, Asunsolo A, Sánchez-Gallegos P, Gutiérrez PR, Fernández A, de Jesús MT, Martínez-Alarcón L, Lana A, Fuentes L, Hernández JR, Virseda J, Yelamos J, Bondía JA, Hernández AM, Ayala MA, Ramírez P, Parrilla P. Acceptance of living liver donation among medical students: A multicenter stratified study from Spain. *World J Gastroentero*. 2016;22(25):5800-13. Article. IF: 3.365; Q2
- * Rodríguez-Frutos B, Otero-Ortega L, Gutiérrez-Fernández M, Fuentes B, Ramos-Cejudo J, Díez-Tejedor E. Stem cell therapy and administration routes after stroke. *Transl Stroke Res*. 2016;7(5):378-87. Article. IF: 4.503; Q1
- * Rodríguez-Frutos B, Otero-Ortega L, Ramos-Cejudo J, Martínez-Sánchez P, Barahona-Sanz I, Navarro-Hernanz T, Gómez-de Frutos MD, Díez-Tejedor E, Gutiérrez-Fernández M. Enhanced brain-derived neurotrophic factor delivery by ultrasound and microbubbles promotes white matter repair after stroke. *Biomaterials*. 2016;100:41-52. Article. IF: 8.402; D1
- * Sánchez-Benavides G, Peña-Casanova J, Casals-Coll M, Gramunt N, Manero RM, Puig-Pijoan A, Aguilar M, Robles A, Antúnez C, Frank-García A, Fernández-Martínez M, Blesa R. One-year reference norms of cognitive change in Spanish old adults: data from the NEURONORMA Sample. *Arch Clin Neuropsych*. 2016;31(4):378-88. Article. IF: 2.044; Q3
- * Sánchez-Herán A, Agudo-Carmona D, Ferrer-Pena R, López-de-Uralde-Villanueva I, Gil-Martínez A, Paris-Alemany A, La Touche R. Postural stability in osteoarthritis of the knee and hip: analysis of association with pain catastrophizing and fear-avoidance beliefs. *PM&R*. 2016;8(7):618-28. Article. IF: 1.785; Q2
- * Secades JJ, Álvarez-Sabín J, Castillo J, Díez-Tejedor E, Martínez-Vila E, Ríos J, Oudovenko N. Citicoline for acute ischemic stroke: A systematic review and formal meta-analysis of randomized, double-blind, and placebo-controlled trials. *J Stroke Cerebrovasc*. 2016;25(8):1984-96. Review. IF: 1.517; Q4
- * Sepulveda M, Armangue T, Sola-Valls N, Arrambide G, Meca-Lallana JE, Oreja-Guevara C, Mendibe M, de Arcaya AA, Aladro Y, Casanova B, Olascoaga J, Jiménez-Huete A, Fernández-Fournier M, Ramio-Torrenta L, Cobo-Calvo A, Vinals M, de Andrés C, Meca-Lallana V, Cervello A, Calles C, Rubio MB, Ramo-Tello C, Caminero A, Munteis E, Antigüedad AR, Blanco Y, Villoslada P, Montalbán X, Graus F, Saiz A. Neuromyelitis optica spectrum disorders comparison according to

the phenotype and serostatus. *Neurol Neuroimmunol Neuroinflamm*. 2016;3(3):e225. Article. IF: Not Indexed

- * Sevilla T, Lupo V, Martínez-Rubio D, Sancho P, Sivera R, Chumillas MJ, García-Romero M, Pascual-Pascual SI, Muelas N, Dopazo J, Vélchez JJ, Palau F, Espinos C. Mutations in the MORC2 gene cause axonal Charcot-Marie-Tooth disease. *Brain*. 2016;139:62-72. Article. IF: 10.292; D1
- * Tapias G, García-Romero M, Crespo C, Cuesta M, Forne C, Pascual-Pascual SI. Cost-minimization analysis in the treatment of spasticity in children with cerebral palsy with botulinum toxin type A: an observational, longitudinal, retrospective study. *Farm Hosp*. 2016;40(5):412-26. Article. IF: Not Indexed
- * Ugalde-Canitrot A, García-Fernández M, García-Caballero J. Quality management in epileptology: can it really improve care for patients? *Am J Med Qual*. 2016;31(1):94. Letter. IF: 1.688; Q3
- * Vivancos-Matellano F, García-Ruiz AJ, Soler NGA. Pharmacoeconomic study of the treatment of advanced Parkinson's disease. *Rev Neurología*. 2016;63(12):529-36. Article. IF: 0.743; Q4